

Patient Name First Name \_\_\_\_\_ Middle Name \_\_\_\_\_ Last Name \_\_\_\_\_ DOB \_\_\_\_\_ Weight \_\_\_\_\_  Male  Female

Street Address \_\_\_\_\_ Apt # \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Daytime Tel \_\_\_\_\_ Evening Tel \_\_\_\_\_ Cell \_\_\_\_\_ Email \_\_\_\_\_

Ship to Patient at  Home  Work **OR** Patient will pick up at  Physician Office  Pharmacy Date Needed \_\_\_\_\_

ICD-10 Diagnosis Code  G35 Multiple Sclerosis **OR** Other \_\_\_\_\_ Allergies \_\_\_\_\_

Patient currently on therapy  Yes  No Date of next blood work \_\_\_\_\_ Comments \_\_\_\_\_

Insured's Name \_\_\_\_\_ Relation to Patient \_\_\_\_\_ Eligible for Medicare  Yes  No If yes, Medicare# \_\_\_\_\_

Prescription Card  Yes  No If Yes, Carrier \_\_\_\_\_ Tel \_\_\_\_\_ Fax \_\_\_\_\_ Policy/Group# \_\_\_\_\_

Bin# \_\_\_\_\_ Pcn# \_\_\_\_\_ RXID# \_\_\_\_\_ RX Group# \_\_\_\_\_

Prescriber's Name \_\_\_\_\_ Office Contact \_\_\_\_\_

Street Address \_\_\_\_\_ Suite # \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Tel \_\_\_\_\_ Fax \_\_\_\_\_ Email \_\_\_\_\_

License# \_\_\_\_\_ NPI# \_\_\_\_\_ UPIN# \_\_\_\_\_ DEA# \_\_\_\_\_

### PRESCRIPTION

### PLEASE ATTACH COPIES OF PATIENT'S INSURANCE CARDS

#### AVONEX ADMINISTRATION PACK 30mcg PreFilled

SIG  Inject 30mcg IM once weekly  Other \_\_\_\_\_

QTY # \_\_\_\_\_ Weeks (1 pack = 4 week supply) Refills x \_\_\_\_\_

#### BETASERON 0.3mg Vials

SIG  Inject \_\_\_\_\_ SC every other day  Other \_\_\_\_\_

QTY # \_\_\_\_\_ Weeks (1 box = 4 week supply) Refills x \_\_\_\_\_

#### COPAXONE

##### 40mg/ml Syringe

SIG  Inject 40mg SC three times weekly

Other \_\_\_\_\_

##### 20mg/ml Syringe

SIG  Inject 20mg SC once daily  Other \_\_\_\_\_

QTY # \_\_\_\_\_ Syringes Refills x \_\_\_\_\_

#### EXTAVIA VIALS

SIG  Inject \_\_\_\_\_ SC every other day  Other \_\_\_\_\_

QTY # \_\_\_\_\_ Weeks (1 box = 4 week supply) Refills x \_\_\_\_\_

#### REBIF TITRATION PACK 12 syringes

SIG  8.8mcg SQ TIW - weeks 1 & 2  22mcg SQ TIW - weeks 3 & 4

Maintenance Dose following week 3 & 4

QTY # \_\_\_\_\_ Boxes (1 box = 4 week supply) Refills x \_\_\_\_\_

#### REBIF 22mcg/0.5ml

SIG  22mg (0.5ml) SQ TIW (48hrs apart)

QTY # \_\_\_\_\_ Boxes (1 box = 4 week supply) Refills x \_\_\_\_\_

#### REBIF 44mcg/0.5ml (maintenance)

SIG  starting week 5: 44mcg (0.5ml) SQ TIW (48hrs apart)

QTY # \_\_\_\_\_ Boxes (1 box = 4 week supply) Refills x \_\_\_\_\_

#### OTHER

SIG \_\_\_\_\_ QTY \_\_\_\_\_ Refills x \_\_\_\_\_

**GILENYA** 0.5 mg \_\_\_\_\_ orally once daily QTY - 28 Refill X \_\_\_\_\_

ENROLL IN NURSE TRAINING / MANUFACTURER PROGRAM

Prescriber's Signature (signature required. NO STAMPS) \_\_\_\_\_ Date \_\_\_\_\_

IMPORTANT NOTICE: This fax is intended to be delivered only to the named addressee. It contains material that is confidential, privileged, proprietary or exempt from disclosure under applicable law. If you are not the named addressee, you should not disseminate, distribute, or copy this fax. Please notify the sender immediately if you have received this document in error and then destroy this document immediately. PLEASE NOTE: Bergen can only accept original prescription drug orders from patients, faxed prescriptions can be accepted only from the prescribing practitioners.